Insects in a Backyard Prairie: Grow It and They Will Come

Day of the Insects

March 2014

Reiman Gardens, Ames

The Setting

- Less than 1/8 acre of a half-acre urban lot, landscaped & planted with over 50 spp. of native mid- & tallgrass plants, some woodland & a few wetlands spp.
- Surrounded by "trashy" woods: hackberry, boxelder, garlic mustard, water hemlock, wild carrot, tree-of-heaven, common transitional natives
- On south-facing slope above the Bill Riley Trail, Union Pacific railroad, Raccoon River, & Water Works Park in Des Moines









Phenology

- Is not feeling the bumps on someone's head to read their personality.
- Also is not the study of the sounds in a language.
- Nor is it study of prison systems.
- It <u>is</u> the study of timing in the life cycles of biota
 - Aldo Leopold




| II I | | 0 | | UI: | | 12 | 19 | ners has ne April |
|------|---|---|-----|-----|-----|----------|----------|----------------------|
| e ə | | | 30 | | | 60 | DI NE | 90 |
| æ | A | | a: | D | | eə me | ID NE | GO NEX |
| Б | Ь | t | | 1 | tſ. | ds | k | g |
| f | V | θ | 1.0 | 5 | S | 2 | J | 3 |
| m | n | ŋ | ŀ | 1 | 1 | T | W | j |

Those Pesky Dipterans

- Most dipteran pollinators seem to be flower or hover flies (Syrphidae),
- With some Tachinidae and other families
- Also, a few not so attracted to flowers, but to other floral resources
- A good nature lesson for children
 - Learn to relax when a hover fly checks you out
 - And when hymenopterans are around
 - Not everything should be swatted































- Note on taxonomy:
 - I learned some of my taxonomic nomenclature from The Roadrunner and The Rocky and Bullwinkle Show



 The rest has come by osmosis, of which some has left by reverse osmosis










Buccaneers of Buzz and other Hymenopterans

- · Apologies to Emily Dickinson
 - "Bees are Black, with Gilt Surcingles -
 - Buccaneers of Buzz.
 - Ride abroad in ostentation
 - And subsist on Fuzz"


































































Flutterbys & Skippers

- All species to date are common and easily predicted in a residential area or young prairie restoration
 - Black & Eastern Tiger Swallowtails, Monarchs,
 Buckeyes, Cabbage Butterflies, Commas, American
 & Painted Ladies, Red Admirals, Eastern Tailed
 Blues, Gray Hairstreaks, Viceroys, Pearl Crescents,
 Orange & Clouded Sulphurs
 - Common Sootywings; Crossline, Fiery, & Least Skippers; & Sachems

